



Tree Inventory Report

Fulbeck PC

17 July 2026

Report created by Christopher Clay



Unique ID: 0D2U

Parish council

Acer platanoides

W3W: famines.splashes.using

Inventory	
Surveyor	Christopher Clay
Inspection Date	07-Jul-2026
Next Inspection	07-Jul-2029
Trunk Type	Single
Age	Mature
Condition	Reasonable
Proximity	GREEN SPACE
Street	Village Hall Green
Tag	157
Stem Diameter	L 401-600mm
Spread	05 to 10m
Height	10 to 15m
Risk	Low
Committee	Parish council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Acer platanoides

Maintenance	
-------------	--

Requirements	
Date Added	07-Jul-2026
Priority	Essential
Requirement Type	Clear property/boundary
Requirement Option	Clear highway
Requirement Info	
Requirement Note	to 5m AGL

Considerations	
Consideration	HAZ-ROAD

Considerations	
Consideration	DEF-INCLUDED UNION

Comment	
Surveyor	Christopher Clay
Comment Date	26-Jul-2018
Comment	Lift over Green for mowers. Included union at 4m# -insignificant

Comment	
Surveyor	Christopher Clay
Comment Date	07-Jul-2026
Comment	Supressed by magnificent horse chestnut

Unique ID: 0D37
Parish council
Acer platanoides Schwedler
W3W: appendix.simple.prank

Overview Photos



Inventory	
Surveyor	Christopher Clay
Inspection Date	07-Jul-2026
Next Inspection	07-Jul-2029
Trunk Type	Single
Age	Mature
Condition	Reasonable
Proximity	GREEN SPACE
Street	North End Green
Stem Diameter	L 401-600mm
Spread	05 to 10m
Height	10 to 15m
Risk	Low
Committee	Parish council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Acer platanoides Schwedler

Maintenance

Requirements	
Date Added	07-Jul-2026
Priority	Essential
Requirement Type	Clear street furniture
Requirement Option	
Requirement Info	
Requirement Note	BT by 1m

Requirements	
Date Added	07-Jul-2026
Priority	Desirable
Requirement Type	Deadwood
Requirement Option	
Requirement Info	

Requirements	
Date Added	07-Jul-2026
Priority	Desirable
Requirement Type	Remove (Hanging limb)
Requirement Option	
Requirement Info	

Considerations	
Consideration	DEADWOOD

Considerations	
Consideration	DEF- CROWN DIEBACK

Comment	
Surveyor	Christopher Clay
Comment Date	26-Jul-2018
Comment	Apparent trenching <2m north of base- dieback likely associated with root damage. Ground level raised artificially around base

Comment	
Surveyor	Christopher Clay
Comment Date	18-Aug-2021
Comment	Many occluding splits/lesions in stems. Black stem bleeds at 3m# west, likely Phytophthora sp. Rowan in locality has succumbed rapidly

Comment	
Surveyor	Christopher Clay
Comment Date	07-Jul-2026
Comment	Lesions throughout crown, some with dark bleeds. Frequent in species

Unique ID: 0D38
Parish council
Quercus robur
W3W: foresight.armrest.spindles

Overview Photos



Inventory	
Surveyor	Christopher Clay
Inspection Date	07-Jul-2026
Next Inspection	07-Jul-2029
Trunk Type	Single
Age	Mature
Condition	Good
Proximity	GREEN SPACE
Street	North End Green
Tag	163
Stem Diameter	L 401-600mm
Spread	10 to 15m
Height	10 to 15m
Risk	Low
Committee	Parish council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Quercus robur

Maintenance

Considerations

Consideration	DEADWOOD
---------------	----------

Considerations

Consideration	HAZ-BT CABLES
---------------	---------------

Comment

Surveyor	Christopher Clay
Comment Date	26-Jul-2018
Comment	Powdery mildew- insignificant. Interesting fused stems at 5m#

Unique ID: 0D2V
Parish council
Tilia x europaea
W3W: automatic.copy.instant

Overview Photos



Inventory	
Surveyor	Christopher Clay
Inspection Date	07-Jul-2026
Next Inspection	07-Jul-2029
Trunk Type	Single
Age	Mature
Condition	Good
Proximity	GREEN SPACE
Street	Village Hall Green
Stem Diameter	X-L Over 601mm
Spread	10 to 15m
Height	15 to 20m
Risk	Low
Committee	Parish council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Tilia x europaea

Maintenance

Requirements	
Date Added	07-Jul-2026
Priority	Desirable
Requirement Type	Deadwood
Requirement Option	
Requirement Info	

Requirements	
Date Added	07-Jul-2026
Priority	Desirable
Requirement Type	Remove (Epicormic growth)
Requirement Option	
Requirement Info	
Requirement Note	basal

Requirements	
Date Added	07-Jul-2026
Priority	Desirable
Requirement Type	Remove ivy to 1m
Requirement Option	
Requirement Info	

Considerations	
Consideration	HAZ-BENCH

Considerations	
Consideration	DEADWOOD

Comment	
Surveyor	Christopher Clay
Comment Date	26-Jul-2018
Comment	Much of base and all of stem to 8m#, including main unions, obscured by ivy. Water stain base base north- east suggests a cavity above. Minimal basal flare eastern side with some adaptive ribbing. Bark fissures resist probe.

Comment	
Surveyor	Christopher Clay
Comment Date	18-Aug-2021
Comment	Severed ivy dying off on stem with new ivy around base. Bacterial wet wood stem bleeds have been exposed on the eastern side of the stem. Too localised to affect stability at this time. Crown vigorous

Unique ID: 0D2X

Parish council

Prunus x subhirtella

W3W: loafing.shortcuts.chain

Inventory	
Surveyor	Christopher Clay
Inspection Date	07-Jul-2026
Next Inspection	07-Jul-2029
Trunk Type	Single
Age	Mature
Condition	Reasonable
Proximity	GREEN SPACE
Street	High Street Green
Stem Diameter	M 251-400mm
Spread	05 to 10m
Height	05 to 10m
Risk	Low
Committee	Parish council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Prunus x subhirtella

Maintenance	
-------------	--

Considerations	
Consideration	DEF- CROWN DIEBACK

Comment	
Surveyor	Christopher Clay
Comment Date	26-Jul-2018
Comment	Stressed with peripheral crown dieback and epicormic growth

Unique ID: 0D36

Parish council

Fraxinus excelsior

W3W: resemble.albatross.conveys

Inventory	
Surveyor	Christopher Clay
Inspection Date	07-Jul-2026
Next Inspection	07-Jul-2029
Trunk Type	Single
Age	Semi Mature
Condition	ADB-25-50 die back
Proximity	GREEN SPACE
Street	North End Green
Stem Diameter	L 401-600mm
Spread	05 to 10m
Height	10 to 15m
Risk	Low
Committee	Parish council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Fraxinus excelsior

Maintenance	
-------------	--

Requirements	
Date Added	07-Jul-2026
Priority	Essential
Requirement Type	Clear street furniture
Requirement Option	
Requirement Info	
Requirement Note	BT by 1m

Considerations	
Consideration	HAZ-BT CABLES

Considerations	
Consideration	P&D-ASH DIE-BACK

Considerations	
Consideration	HAZ-STRUCTURE

Considerations	
Consideration	DEADWOOD

Unique ID: 0D2Z

Parish council

Acer platanoides -Crimson king

W3W: tickling.successes.musical

Inventory	
Surveyor	Christopher Clay
Inspection Date	07-Jul-2026
Next Inspection	07-Jul-2029
Trunk Type	Single
Age	Mature
Condition	Good
Proximity	GREEN SPACE
Street	High Street Green
Tag	166
Stem Diameter	L 401-600mm
Spread	05 to 10m
Height	10 to 15m
Risk	Low
Committee	Parish council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Acer platanoides -Crimson king

Maintenance

Considerations	
Consideration	DEF- CROWN DIEBACK

Comment	
Surveyor	Christopher Clay
Comment Date	07-Jul-2026
Comment	Some dieback of northern crown, cause not apparent

Unique ID: 0D30

Parish council

Acer pseudoplatanus

W3W: poorly.untrained.posts

Inventory	
Surveyor	Christopher Clay
Inspection Date	07-Jul-2026
Next Inspection	07-Jul-2029
Trunk Type	Single
Age	Mature
Condition	Good
Proximity	GREEN SPACE
Street	High Street Green
Tag	167
Stem Diameter	X-L Over 601mm
Spread	10 to 15m
Height	15 to 20m
Risk	Low
Committee	Parish council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Acer pseudoplatanus

Maintenance	
-------------	--

Requirements	
Date Added	07-Jul-2026
Priority	Essential
Requirement Type	Clear street furniture
Requirement Option	
Requirement Info	
Requirement Note	BT by 1m

Considerations	
Consideration	HAZ-BT CABLES

Considerations	
Consideration	DEADWOOD

Unique ID: 0D31

Parish council

Acer platanoides Schwedler

W3W: drooling.sprawls.leaflet

Inventory	
Surveyor	Christopher Clay
Inspection Date	07-Jul-2026
Next Inspection	07-Jul-2029
Trunk Type	Single
Age	Mature
Condition	Reasonable
Proximity	GREEN SPACE
Street	High Street Green
Tag	169
Stem Diameter	L 401-600mm
Spread	05 to 10m
Height	10 to 15m
Risk	Low
Committee	Parish council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Acer platanoides Schwedler

Maintenance	
-------------	--

Requirements	
Date Added	07-Jul-2026
Priority	Essential
Requirement Type	Clear street furniture
Requirement Option	
Requirement Info	
Requirement Note	BT by 1m- tertiary growth only

Considerations	
Consideration	HAZ-BT CABLES

Unique ID: 0D32

Parish council

Crataegus laevigata

W3W: headsets.croutons.readjust

Inventory	
Surveyor	Christopher Clay
Inspection Date	07-Jul-2026
Next Inspection	07-Jul-2029
Trunk Type	Multi
Age	Mature
Condition	Reasonable
Proximity	GREEN SPACE
Street	High Street Green
Stem Diameter	M 251-400mm
Spread	05 to 10m
Height	05 to 10m
Risk	Low
Committee	Parish council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Crataegus laevigata

Maintenance	
-------------	--

Requirements	
Date Added	07-Jul-2026
Priority	Essential
Requirement Type	Clear street furniture
Requirement Option	
Requirement Info	
Requirement Note	BT, minimally-remove weight

Considerations	
Consideration	HAZ-BT CABLES

Comment	
Surveyor	Christopher Clay
Comment Date	26-Jul-2018
Comment	BT loose in crown- leave as it is. Ivy clad

Unique ID: 0D3A

Parish council

Quercus robur

W3W: giggle.repeating.treaties

Inventory	
Surveyor	Christopher Clay
Inspection Date	07-Jul-2026
Next Inspection	07-Jul-2029
Trunk Type	Single
Age	Mature
Condition	Good
Proximity	GREEN SPACE
Street	Playing Field
Stem Diameter	X-L Over 601mm
Spread	10 to 15m
Height	15 to 20m
Risk	Low
Committee	Parish council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Quercus robur

Maintenance	
-------------	--

Requirements	
Date Added	07-Jul-2026
Priority	Essential
Requirement Type	Clear property/boundary
Requirement Option	
Requirement Info	
Requirement Note	crown-lift to 4m AGL carpark only

Requirements	
Date Added	07-Jul-2026
Priority	Desirable
Requirement Type	Crown Lift to maximum of 3m
Requirement Option	
Requirement Info	

Requirements	
Date Added	07-Jul-2026
Priority	Desirable
Requirement Type	Crown Lift to maximum of 3m
Requirement Option	
Requirement Info	

Considerations	
Consideration	DEADWOOD

Comment	
Surveyor	Christopher Clay
Comment Date	18-Aug-2021
Comment	Low over car park and field

Unique ID: 0D3B

Parish council

Tilia x europaea

W3W: reactions.shunted.aimed

Inventory	
Surveyor	Christopher Clay
Inspection Date	07-Jul-2026
Next Inspection	07-Jul-2029
Trunk Type	Single
Age	Mature
Condition	Good
Proximity	GREEN SPACE
Street	Playing Field
Stem Diameter	X-L Over 601mm
Spread	10 to 15m
Height	15 to 20m
Risk	Low
Committee	Parish council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Tilia x europaea

Maintenance	
-------------	--

Requirements	
Date Added	07-Jul-2026
Priority	Essential
Requirement Type	Crown Lift to maximum of 3m
Requirement Option	
Requirement Info	

Requirements	
Date Added	07-Jul-2026
Priority	Desirable
Requirement Type	Deadwood
Requirement Option	
Requirement Info	

Considerations	
Consideration	DEADWOOD

Considerations	
Consideration	HAZ-BENCH

Comment	
Surveyor	Christopher Clay
Comment Date	27-Jul-2018
Comment	Dense epicormic growth above 4m (typical of species), obscuring unions.

Comment	
Surveyor	Christopher Clay
Comment Date	18-Aug-2021
Comment	Dead branch visible. Groundsman reports dead branch hung up in crown

Unique ID: 0D3C
Parish council
Castanea sativa
W3W: salary.fattest.vintages

Overview Photos



Inventory	
Surveyor	Christopher Clay
Inspection Date	07-Jul-2026
Next Inspection	07-Jul-2029
Trunk Type	Single
Age	Mature
Condition	Good
Proximity	GREEN SPACE
Street	Playing Field
Stem Diameter	X-L Over 601mm
Spread	10 to 15m
Height	15 to 20m
Risk	Low
Committee	Parish council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Castanea sativa

Maintenance

Requirements	
Date Added	07-Jul-2026
Priority	Desirable
Requirement Type	
Requirement Option	
Requirement Info	
Requirement Note	fence off tree, spread mulch within fence

Comment	
Surveyor	Christopher Clay
Comment Date	27-Jul-2018
Comment	Veteran tree. Minimal intervention desirable. Preserve dead wood habitat. Ideally, chestnut pale fencing around dripline and peroidic mulch application to 120mm

Comment	
Surveyor	Christopher Clay
Comment Date	18-Aug-2021
Comment	Protruding south-eastern stem with decay. Woodpecker holes in leader at 9m# suggest decay. Fence off crown and apply mulch

Comment	
Surveyor	Christopher Clay
Comment Date	07-Jul-2026
Comment	Large failed branches stuck in lower crown. Exceptional, ancient tree requires informed management. DBH about 180cm

Unique ID: 0D3D
Parish council
Quercus robur
W3W: trailers.revisits.napkins

Overview Photos



Inventory	
Surveyor	Christopher Clay
Inspection Date	07-Jul-2026
Next Inspection	07-Jul-2029
Trunk Type	Single
Age	Mature
Condition	Poor
Proximity	GREEN SPACE
Street	Playing Field
Stem Diameter	X-L Over 601mm
Spread	10 to 15m
Height	15 to 20m
Risk	Low
Committee	Parish council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Quercus robur

Maintenance

Requirements	
Date Added	07-Jul-2026
Priority	Essential
Requirement Type	Establish pollard/monolith
Requirement Option	
Requirement Info	
Requirement Note	will supply annotated photos

Considerations	
Consideration	P&D-FUNGAL FRUITING BODY

Considerations	
Consideration	DEF- CROWN DIEBACK

Considerations	
Consideration	DEADWOOD

Comment	
Surveyor	Christopher Clay
Comment Date	27-Jul-2018
Comment	Important tree. Extensive die back of lower western canopy due to fire damage. No fires within 10m of crown! Ground compacted by rollers- is re-siting roller possible? Avoid any further development around tree and minimise activity under crown to avoid f

Comment	
Surveyor	Christopher Clay
Comment Date	18-Aug-2021
Comment	Excessively reduced/stub cuts/associated reaction growth. Branches stripped of tertiary growth towards new house. 450mm pruning wound at 3.5m south. Pseudoinonotus dryadeus brackets base N

Comment	
Surveyor	Christopher Clay
Comment Date	07-Jul-2026
Comment	Extensive basal decay spreading into sapwood. Buttresses north & north-east sounded and are dysfunctional. Whole tree failure potential

Unique ID: 0D2W

Parish council

Prunus avium

W3W: waltzed.instincts.crackles

Inventory	
Surveyor	Christopher Clay
Inspection Date	07-Jul-2026
Next Inspection	07-Jul-2029
Trunk Type	Single
Age	Mature
Condition	Good
Proximity	GREEN SPACE
Street	Village Hall Green
Tag	158
Stem Diameter	L 401-600mm
Spread	05 to 10m
Height	15 to 20m
Risk	Low
Committee	Parish council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Prunus avium

Maintenance

Requirements	
Date Added	07-Jul-2026
Priority	Essential
Requirement Type	Clear property/boundary
Requirement Option	
Requirement Info	
Requirement Note	nouse by 3m and remove overhang

Requirements	
Date Added	07-Jul-2026
Priority	Desirable
Requirement Type	Clear street furniture
Requirement Option	
Requirement Info	
Requirement Note	BT by 1m

Considerations	
Consideration	HAZ-STRUCTURE

Considerations	
Consideration	HAZ-ELECTRIC WIRES

Considerations	
Consideration	HAZ-BT CABLES

Comment	
Surveyor	Christopher Clay
Comment Date	26-Jul-2018
Comment	Included union at 2m with minimal adaptive growth suggests stability

Comment	
Surveyor	Christopher Clay
Comment Date	07-Jul-2026
Comment	Supressed by lime with crown biased to west

Unique ID: 0D2Y

Parish council

Prunus x subhirtella

W3W: youngest.asks.licks

Inventory	
Surveyor	Christopher Clay
Inspection Date	07-Jul-2026
Next Inspection	07-Jul-2029
Trunk Type	Single
Age	Mature
Condition	Reasonable
Proximity	GREEN SPACE
Street	High Street Green
Stem Diameter	L 401-600mm
Spread	05 to 10m
Height	05 to 10m
Risk	Low
Committee	Parish council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Prunus x subhirtella

Maintenance	
-------------	--

Requirements	
Date Added	07-Jul-2026
Priority	Desirable
Requirement Type	Deadwood
Requirement Option	
Requirement Info	

Considerations	
Consideration	DEADWOOD

Considerations	
Consideration	DEF- CROWN DIEBACK

Comment	
Surveyor	Christopher Clay
Comment Date	26-Jul-2018
Comment	Main unions obscured by ivy

Comment	
Surveyor	Christopher Clay
Comment Date	07-Jul-2026
Comment	Ivy severed. Grafted on more vigorous stock at about 1.7m

Unique ID: 0D35

Parish council

Quercus robur

W3W: rapid.mingles.blackouts

Inventory	
Surveyor	Christopher Clay
Inspection Date	07-Jul-2026
Next Inspection	07-Jul-2029
Trunk Type	Single
Age	Semi Mature
Condition	Reasonable
Proximity	GREEN SPACE
Street	North End Green
Tag	160
Stem Diameter	M 251-400mm
Spread	05 to 10m
Height	05 to 10m
Risk	Low
Committee	Parish council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Quercus robur

Maintenance	
-------------	--

Requirements	
Date Added	07-Jul-2026
Priority	Essential
Requirement Type	Clear property/boundary
Requirement Option	Clear highway
Requirement Info	
Requirement Note	margin by 1m to 5m AGL

Requirements	
Date Added	07-Jul-2026
Priority	Desirable
Requirement Type	Clear property/boundary
Requirement Option	
Requirement Info	
Requirement Note	bench by 1m

Considerations	
Consideration	HAZ-ROAD

Considerations	
Consideration	HAZ-BENCH

Considerations	
Consideration	P& D-BARK BLEEDING

Comment	
Surveyor	Christopher Clay
Comment Date	26-Jul-2018
Comment	Spiral girdled root- poor nurse stock/planting

Comment	
Surveyor	Christopher Clay
Comment Date	18-Aug-2021
Comment	Powdery mildew

Comment	
Surveyor	Christopher Clay
Comment Date	07-Jul-2026
Comment	A few localised stem lesions, now dry